



SAFETY DATA SHEET

DISHWASH EXTRA

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: DISHWASH EXTRA

PART No.: A137

IN-HOUSE No.: P.59

APPLICATIONS: Alkaline liquid detergent for Dish washing machines

SUPPLIER: Evans Vanodine International
Brierley Road
Walton Summit
Preston. PR5 8AH

TEL: 01772 322200

FAX: 01772 626000

2 COMPOSITION/INFORMATION ON INGREDIENTS

INGREDIENT NAME	EINECS No.	CAS No.	CONTENTS	SYMBOL	RISK (R No.)
SODIUM HYDROXIDE	215-185-5	1310-73-2	5-10 %	C	35
TRISODIUM NITRILLO TRIACETATE	225-768-6	5064-31-3	10-30 %	Xi	36/38

The full text for all R-phrases are shown in section 16.

3 HAZARDS IDENTIFICATION

Causes severe burns.

4 FIRST AID MEASURES

INHALATION: Not relevant. Inhalation unlikely.

INGESTION: DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention immediately!

SKIN: Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: This material is not flammable. Use extinguishing media appropriate for surrounding fire.

HAZARDOUS DECOMPOSITION PRODUCTS:

If involved in fire, may emit noxious fumes.

PROTECTIVE MEASURES IN FIRE: Protective clothing and respiratory protection should be worn when tackling fires involving this product.

DISHWASH EXTRA

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS DURING SPILL:

Wear suitable protective clothing, gloves and eye/face protection.

PRECAUTIONS TO PROTECT ENVIRONMENT:

Large spillages or uncontrolled discharges into rivers or streams must be reported to The Environment Agency or other regulatory body.

SPILL CLEANUP METHODS:

Small quantities may be flushed to drains with plenty of water. Larger spill: Absorb in vermiculite, dry sand or earth and place into containers. Send for disposal as special waste.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS:

Wear suitable protective clothing, gloves and eye/face protection.

STORAGE PRECAUTIONS:

Store at moderate temperatures in dry, well ventilated area. Keep in original container. Store away from; Oxidising material.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

INGREDIENT NAME	CAS No	STD	LT EXP (8 hrs)	ST EXP (15 min)
SODIUM HYDROXIDE	1310-73-2	OES	No std.	2 mg/m3

INGREDIENT COMMENTS:

OES = Occupational Exposure Standard.

PROTECTIVE EQUIPMENT:



VENTILATION:

Not applicable.

RESPIRATORS:

None required.

PROTECTIVE GLOVES:

Household rubber gloves.

EYE PROTECTION:

Use approved safety goggles or face shield.

OTHER PROTECTION:

Wear suitable protective clothing.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE:	Liquid.	COLOUR:	Clear. Yellow.
ODOUR/TASTE:	Faint Ammonia.		
SOLUBILITY DESCRIPTION:	Soluble in water.		
BOILING POINT (°C):	103 @ 760mmHg	MELTING POINT (°C):	-3
SPECIFIC GRAVITY (Water=1):	1.300 @ 20 °C	pH-VALUE:	11.50
CONCENTRATION (%M):	3ml per Litre		
FLASH POINT (°C):	Boils without flashing		

10 STABILITY AND REACTIVITY

STABILITY:

No particular stability concerns.

MATERIALS TO AVOID:

Strong acids. Aluminium, Tin, Zinc and their alloys.

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION:

Refer to section 3.

12 ECOLOGICAL INFORMATION

ECOTOXICOLOGICAL DATA:

757,000

ENVIRONMENTAL HAZARDS:

Potentially hazardous due to the alkalinity of the product.

DISHWASH EXTRA

BIO ACCUMULATION: Completely soluble. No bioaccumulation.
DEGRADABILITY: Sequestrant is readily degraded during biological effluent treatment processes.

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

14 TRANSPORT INFORMATION

LABEL FOR CONVEYANCE:



ROAD:
UN No: 1719
HAZARD CLASS (ADR): Class 8: Corrosive substances. **ADR PACK GR:** II
PROPER SHIPPING NAME I: CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide solution)

RAIL:
RAIL TRANSPORT CLASS No: Class 8: Corrosive substances. **RID PACK GR:** II

SEA:
UN SEA: 1719
SEA TRANSPORT CLASS No: Class 8: Corrosive substances. **SEA PACK GR:** II
MARINE POLLUTANT: No.

AIR:
UN AIR: 1719
AIR TRANSPORT CLASS No: Class 8: Corrosive substances. **AIR PACK GR:** II

15 REGULATORY INFORMATION

LABEL FOR SUPPLY:



CORROSIVE

RISK PHRASES: R-35 Causes severe burns.
SAFETY PHRASES: S-2 Keep out of reach of children.
S-36/37/39 Wear suitable protective clothing, gloves and eye/face protection.
S-26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S-45 In case of accident or if you feel unwell, seek medical advice immediately (show the label where possible).

UK ENVIRONMENTAL LISTINGS: Control of Pollution (Special Waste) Regulations 1980.
EC DIRECTIVES: System of specific information relating to Dangerous Preparations. 91\155.
As amended by Directive 93/112/EC and 2001/58/EC.
STATUTORY INSTRUMENTS: Chemicals (Hazard Information and Packaging) Regulations.
2002
APPROVED CODE OF PRACTICE: The compilation of safety Data Sheets L130.
GUIDANCE NOTES: Occupational Exposure Limits EH40.
Approved guide to the Classification and Labelling of Substances and Preparations Dangerous for Supply. L100

DISHWASH EXTRA

16 OTHER INFORMATION

INFORMATION SOURCES: Approved Supply List - HSC.
Material Safety Data Sheet, Misc. manufacturers.

REVISION COMMENTS: Revised in accordance with CHIP 2002.
New SDS system.

REVISION DATE: 01/04/03

REVISION No. /REPLACES SDS ISSUED:

SDS No.: Issue 1
A137

R-PHRASES (Full Text): R-35 Causes severe burns.
R-36/38 Irritating to eyes and skin.