



SAFETY DATA SHEET

EASY STRIP

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY

PRODUCT NAME: EASY STRIP

PART No.: A141

IN-HOUSE No.: P.16

APPLICATIONS: Floor polish remover

SUPPLIER: Evans Vanodine International
Brierley Road
Walton Summit
Preston. PR5 8AH

TEL: 01772 322200

FAX: 01772 626000

2 COMPOSITION/INFORMATION ON INGREDIENTS

| INGREDIENT NAME | EINECS No. | CAS No. | CONTENTS | SYMBOL | RISK (R No.) |
|----------------------------------|------------|------------|----------|--------|-----------------|
| 2-BUTOXYETHANOL | 203-905-0 | 111-76-2 | 10-30 % | Xn | 20/21/22, 36/38 |
| 2-AMINOETHANOL | 205-483-3 | 141-43-5 | 5-10 % | Xn | 20, 36/37/38 |
| 1-AMINOPROPAN-2-OL | 201-162-7 | 78-96-6 | 1-5 % | C | 34 |
| TRISODIUM NITRILLO TRIACETATE | 225-768-6 | 5064-31-3 | 1-5 % | Xi | 36/38 |
| ALCOHOL (C9-11) ETHOXYLATE (8EO) | | 68439-46-3 | 1-5 % | Xn, Xi | 22, 41 |

The full text for all R-phrases are shown in section 16.

3 HAZARDS IDENTIFICATION

Harmful by inhalation.
Irritating to eyes and skin.

4 FIRST AID MEASURES

INHALATION: Move the exposed person to fresh air at once. Keep the affected person warm and at rest. Get prompt medical attention.

INGESTION: DO NOT INDUCE VOMITING! Rinse mouth thoroughly. Drink a few glasses of water or milk. Get medical attention immediately!

SKIN: Wash the skin immediately with soap and water. Get medical attention promptly if symptoms occur after washing.

EYES: Promptly wash eyes with plenty of water while lifting the eye lids. Get medical attention immediately. Continue to rinse.

5 FIRE FIGHTING MEASURES

EXTINGUISHING MEDIA: This material is not flammable. Use extinguishing media appropriate for surrounding fire.

HAZARDOUS DECOMPOSITION PRODUCTS:
If involved in fire, will emit toxic fumes.

EASY STRIP

PROTECTIVE MEASURES IN FIRE: Protective clothing and respiratory protection should be worn when tackling fires involving this product.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS DURING SPILL:

Wear respiratory protection. Avoid contact with eyes. Avoid contact with skin.

PRECAUTIONS TO PROTECT ENVIRONMENT:

Large spillages or uncontrolled discharges into rivers or streams must be reported to The Environment Agency or other regulatory body.

SPILL CLEANUP METHODS:

Small quantities may be flushed to drains with plenty of water. Larger spill: Absorb in vermiculite, dry sand or earth and place into containers. Send for disposal as special waste.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS:

Wear respiratory protection. Avoid contact with skin and eyes.

STORAGE PRECAUTIONS:

Store at moderate temperatures in dry, well ventilated area. Keep in original container. Store away from; Oxidising material.

8 EXPOSURE CONTROLS AND PERSONAL PROTECTION

| INGREDIENT NAME | CAS No | STD | LT EXP (8 hrs) | ST EXP (15 min) |
|-----------------|----------|-----|-------------------|--------------------|
| 2-BUTOXYETHANOL | 111-76-2 | OES | 25 ppm(Sk) | 50 ppm(Sk) |
| 2-AMINOETHANOL | 141-43-5 | OES | 3 ppm | 6 ppm |

INGREDIENT COMMENTS:

OES = Occupational Exposure Standard.

VENTILATION:

Must not be handled in confined space without sufficient ventilation.

RESPIRATORS:

Wear Respiratory protection compliant with EN 141 (A2 B2 E2 K2 Hg-p3).

PROTECTIVE GLOVES:

For prolonged or repeated skin contact the use of household rubber gloves is advisable.

EYE PROTECTION:

Eye protection recommended.

OTHER PROTECTION:

Wear appropriate clothing to prevent any possibility of skin contact.

9 PHYSICAL AND CHEMICAL PROPERTIES

| | | | |
|------------------------------------|------------------------|----------------------------|-------|
| APPEARANCE: | Liquid. | | |
| COLOUR: | Clear. Colourless. | | |
| ODOUR/TASTE: | Slight. Glycol ether. | | |
| SOLUBILITY DESCRIPTION: | Soluble in water. | | |
| BOILING POINT (°C): | 102 @ 760mmHg | MELTING POINT (°C): | -2 |
| SPECIFIC GRAVITY (Water=1): | 1.005 @ 20 °C | pH-VALUE, CONC: | 12.00 |
| FLASH POINT (°C): | Boils without flashing | | |

10 STABILITY AND REACTIVITY

STABILITY: No particular stability concerns.

11 TOXICOLOGICAL INFORMATION

TOXICOLOGICAL INFORMATION: Refer to section 3.

OTHER HEALTH EFFECTS: Low oral toxicity, but ingestion may cause irritation of the gastro-intestinal tract.

12 ECOLOGICAL INFORMATION

ENVIRONMENTAL HAZARDS: Not regarded as dangerous for the environment.

BIO ACCUMULATION: Completely soluble. No bioaccumulation.

DEGRADABILITY: This product, at use dilutions, is readily broken down in biological effluent treatment plants.

EASY STRIP

13 DISPOSAL CONSIDERATIONS

DISPOSAL METHODS: Discharge used solutions to drain. Small amounts (less than 5 Litres) of unwanted product may be flushed with water to sewer. Larger volumes must be sent for disposal as special waste. Rinse out empty container with water and consign to normal waste.

14 TRANSPORT INFORMATION

LABEL FOR CONVEYANCE:



ROAD:

UN No: 3267
HAZARD CLASS (ADR): Class 8: Corrosive substances. **ADR PACK GR:** III
PROPER SHIPPING NAME I: CORROSIVE LIQUID, BASIC, ORGANIC, N.O.S. (ethanolamine)

RAIL:

RAIL TRANSPORT CLASS No: Class 8: Corrosive substances. **RID PACK GR:** III

SEA:

UN SEA: 3267
SEA TRANSPORT CLASS No: Class 8: Corrosive substances. **SEA PACK GR:** III
MARINE POLLUTANT: No.

AIR:

UN AIR: 3267
AIR TRANSPORT CLASS No: Class 8: Corrosive substances. **AIR PACK GR:** III

15 REGULATORY INFORMATION

LABEL FOR SUPPLY:



HARMFUL

RISK PHRASES: R-20 Harmful by inhalation.
R-36/38 Irritating to eyes and skin.

SAFETY PHRASES: S-2 Keep out of reach of children.
S-24/25 Avoid contact with skin and eyes.
S-26 In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.
S-46 If swallowed seek medical advice immediately and show this container label.
S-51 Use only in well ventilated areas.

UK ENVIRONMENTAL LISTINGS: Control of Pollution (Special Waste) Regulations 1980.
EC DIRECTIVES: System of specific information relating to Dangerous Preparations. 91/155.
As amended by Directive 93/112/EC and 2001/58/EC.

STATUTORY INSTRUMENTS: Chemicals (Hazard Information and Packaging) Regulations.
2002

APPROVED CODE OF PRACTICE: The compilation of safety Data Sheets L130.

GUIDANCE NOTES: Occupational Exposure Limits EH40.
Approved guide to the Classification and Labelling of Substances and Preparations Dangerous for Supply. L100

EASY STRIP

16 OTHER INFORMATION

INFORMATION SOURCES: Approved Supply List - HSC.
Material Safety Data Sheet, Misc. manufacturers.

REVISION COMMENTS: Amendment to section 8

REVISION DATE: 06/10/03

REVISION No. /REPLACES SDS ISSUED: Issue 2 / Replaces Issue 1 dated 01/04/03

SDS No.: A141

R-PHRASES (Full Text):

| | |
|------------|---|
| R-20 | Harmful by inhalation. |
| R-22 | Harmful if swallowed. |
| R-34 | Causes burns. |
| R-41 | Risk of serious damage to eyes. |
| R-20/21/22 | Harmful by inhalation, in contact with skin and if swallowed. |
| R-36/37/38 | Irritating to eyes, respiratory system and skin. |
| R-36/38 | Irritating to eyes and skin. |