

Safety Data Sheet
METALLISED FLOOR POLISH

1 IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND COMPANY/UNDERTAKING

PRODUCT NAME METALLISED FLOOR POLISH
SUPPLIER Conaty Catering Supplies Ltd
Unit 41 Rosemount Business Park Drive
Rosemount Business Park
Blanchardstown Dublin 15
Tel. 01 88 53872
Fax. 01 88 55413

2 COMPOSITION/INFORMATION ON INGREDIENTS

Name	EC No.	CAS-No.	Content	Classification
AMMONIA ...%	215-647-6	1336-21-6	< 1	C;R34 N;R50
STYRENE	202-851-5	100-42-5	< 1	R10 Xn;R20 Xi;R36/38

The Full Text for all R-Phrases are Displayed in Section 16

3 HAZARDS IDENTIFICATION

Not regarded as a health or environmental hazard under current legislation.

4 FIRST-AID MEASURES

INHALATION

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.

INGESTION

Remove victim immediately from source of exposure. Provide rest, warmth and fresh air. Get medical attention if any discomfort continues.

SKIN CONTACT

Remove victim immediately from source of exposure. Remove contaminated clothes and rinse skin thoroughly with water. Get medical attention if any discomfort continues.

EYE CONTACT

Remove victim immediately from source of exposure. Immediately flush with plenty of water or eyewash solution for up to 10 minutes. Make sure to remove any contact lenses from the eyes before rinsing. Get medical attention if any discomfort continues.

5 FIRE-FIGHTING MEASURES

EXTINGUISHING MEDIA

The product is non-combustible. Use fire-extinguishing media appropriate for surrounding materials.

6 ACCIDENTAL RELEASE MEASURES

PERSONAL PRECAUTIONS

Wear protective clothing as described in Section 8 of this safety data sheet.

SPILL CLEAN UP METHODS

Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers.

7 HANDLING AND STORAGE

USAGE PRECAUTIONS

Avoid spilling, skin and eye contact.

METALLISED FLOOR POLISH

STORAGE PRECAUTIONS

Store in tightly closed original container in a cool, dry well-ventilated place.

8 EXPOSURE CONTROLS/PERSONAL PROTECTION

Name	Std	LT - ppm	LT - mg/m3	ST - ppm	ST - mg/m3
STYRENE	MEL	100 ppm	430 mg/m3	250 ppm	1080 mg/m3

PROTECTIVE EQUIPMENT



ENGINEERING MEASURES

Provide adequate ventilation.

RESPIRATORY EQUIPMENT

If ventilation is insufficient, suitable respiratory protection must be provided.

HAND PROTECTION

Use suitable protective gloves if risk of skin contact.

EYE PROTECTION

Wear approved safety goggles.

HYGIENE MEASURES

Wash hands after contact. Wash at the end of each work shift and before eating, smoking and using the toilet. When using do not eat, drink or smoke.

9 PHYSICAL AND CHEMICAL PROPERTIES

APPEARANCE

Liquid

ODOUR

Characteristic

10 STABILITY AND REACTIVITY

STABILITY

Stable under normal temperature conditions and recommended use.

CONDITIONS TO AVOID

Avoid excessive heat for prolonged periods of time.

11 TOXICOLOGICAL INFORMATION

INHALATION

May cause irritation to the respiratory system.

INGESTION

May cause discomfort if swallowed.

SKIN CONTACT

Prolonged and frequent contact may cause redness and irritation.

EYE CONTACT

Particles in the eyes may cause irritation and smarting.

12 ECOLOGICAL INFORMATION

ECOTOXICITY

Not regarded as dangerous for the environment.

13 DISPOSAL CONSIDERATIONS

GENERAL INFORMATION

Waste to be treated as controlled waste. Disposal to licensed waste disposal site in accordance with local Waste Disposal Authority.

METALLISED FLOOR POLISH

14 TRANSPORT INFORMATION

ROAD TRANSPORT NOTES	Not Classified
RAIL TRANSPORT NOTES	Not Classified.
SEA TRANSPORT NOTES	Not Classified.
AIR TRANSPORT NOTES	Not Classified.

15 REGULATORY INFORMATION

RISK PHRASES
Not classified.

SAFETY PHRASES
Not classified.

STATUTORY INSTRUMENTS
Chemicals (Hazard Information and Packaging) Regulations.

APPROVED CODE OF PRACTICE
Safety Data Sheets for Substances and Preparations. Classification and Labelling of Substances and Preparations Dangerous for Supply.

16 OTHER INFORMATION

RISK PHRASES IN FULL
R10 Flammable. , R20 Harmful by inhalation. , R34 Causes burns. , R36/38 Irritating to eyes and skin. , R50
Very toxic to aquatic organisms.